Appl. No. 09/435,461 Amdt. dated January 28, 2004 Reply to Office action of November 28, 2003

Page 2

### IN THE CLAIMS:

The claims as currently presented and under consideration, are presented below for the Examiner's convenience and to comply with 37 CFR §1.121. This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently Amended) A method for modifying the surface of an aromatic polyester resin, film, fiber, yam or fabric during manufacture comprising treating said polyester with a polyesterase enzyme wherein said polyesterase is derived from Pseudomonas spp.which, in a PET UV and a MB assay having controls without the polyesterase enzyme, produces at least a 10% greater absorbance than an absorbance of the centrol, the treatment occurring prior to the application of a finish and in the absence of surfactant and for a time and under conditions sufficient to modify the properties of said polyester, wherein said modified properties of said treated polyester are selected from the group consisting of pilling, pilling prevention, weight, feel, appearance and luster properties of said polyester.
- 2. Cancelled
- 3. Cancelled
- 4. Cancelled
- Cancelled
- 6. (Cancelled)
- 7. (Cancelled)
- 8. Cancelled
- 9. Cancelled
- 10. (Cancelled)
- 11. (Cancelled)

GC593 AAF

Appl. No. 09/435,461 Amdi. dated January 28, 2004 Reply to Office action of November 28, 2003

#### Page 3

- 12. (Currently Amended) A method for modifying the textile characteristics of a polyester article prior to the application of a finish to the article, comprising the steps of:
- obtaining a polyesterase enzyme, wherein said polyesterase enzyme (a) wherein said polyesterase is derived from Pseudomonas spp. has at least 10% greaterabsorbance than an absorbance of a control without polyesterase enzyme in a PET-UV assay and a MB assay;
- contacting said polyesterase enzyme with said polyester article under (b) conditions and for a time suitable for said polyesterase to produce a modified polyester article: and
  - producing a modified polyester article. (c)
- 13. (Previously Presented) The method according to claim 1, wherein said polyester fiber, yarn or fabric is subsequently incorporated into a textile.
- 14. Cancelled
- Cancelled
- Cancelled
- 17. Cancelled
- (Original) The method according to claim 1, wherein said treatment occurs in the 18. presence of polypropylene glycol or glycerol.
- 19. Cancelled
- 20. Cancelled
- 21. (Currently Amended) A method for enzymatically modifying the characteristics of a unsoiled aromatic polyester textile comprising; treating said polyester, prior to the application of a finish, with a polyesterase enzyme derived from Pseudomonas spp.which produces in a PET UV and a MB-assay at least a 50% greater-absorbance

Appl. No. 09/435,461 Amdt. dated January 28, 2004

10:44

Reply to Office action of November 28, 2003

Page 4

than an absorbance of a control without the polyesterase enzyme, the treatment for an time and under conditions to modify the textile properties of said polyester, wherein said modified textile properties of the treated polyester comprise the pilling, pilling prevention, weight, feel, appearance or luster properties of said polyester.

- 22. (Currently Amended) The method according to claim 21, wherein said polyesterase is derived from a Pseudomonas mendocinaspp.
- 23. (Currently Amended) A method for modifying the surface of an aromatic polyester resin, film, fiber, yam or fabric comprising, (a) contacting said polyester, prior to the application of a finish, with a polyesterase enzyme derived from Pseudomonas.

  spp.which produces in a PET UV and a MB assay at least a 50% greater absorbance than an absorbance of a control without the polyesterase enzyme, the treatment for a time and under conditions to modify the textile properties of said polyester, wherein said modified textile properties of the treated polyester comprise the pilling, pilling prevention, weight, feel, appearance or luster properties of said polyester.
- 24. (New) The method according to claim 23, wherein said polyesterase is derived from Pseudomonas mendocina.

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

## IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.